References:

Abdalla A., Klein S., Mäder K., (2008), A new self-emulsifying drug delivery system (SEDDS) for poorly soluble drugs: Characterization, dissolution, in vitro digestion and incorporation into solid pellets, European Journal of Pharmaceutical Sciences, 35, 457-464.

Agarwal V., Siddiqui A., Ali H., Nazzal S., (2009), Dissolution and powder flow characterization of solid self-emulsified drug delivery system (SEDDS), International Journal of Pharmaceutics, 366, 44-52.

Atef E., Belmonte A. A., (2008), Formulation and in vitro and in vivo characterization of a phenytoin self-emulsifying drug delivery system (SEDDS), European Journal of Pharmaceutical Sciences, 35, 257-263.

Balakrishnan P., Lee B. J., Oh D. H., Kim J. O., Hong M. J., Jee J. P., Kim J. A., Yoo B. K., Woo J. S., Yong C. S., Choi H. G., (2009), Enhanced oral bioavailability of dexibuprofen by a novel solid Self-emulsifying drug delivery system (SEDDS), European Journal of Pharmaceutics and Biopharmaceutics, 72, 539-545.

Boonme P., Krauel K., Graf A., Rades T., Junyaprasert V. B., (2006), Characterization of Microemulsion Structures in the Pseudoternary Phase Diagram of Isopropyl Palmitate/Water/Brij 97:1-Butanol, AAPS PharmSciTech, 7(2) Article 45, E1-E6.

Buyukozturka F., Benneyan J. C., Carrier R. L., (2010), Impact of emulsion-based drug delivery systems on intestinal permeability and drug release kinetics, Journal of Controlled Release, 142, 22-30.

Chen G. L., Lee F. Y., (1996), Validation of botanical method for Verapamil by high performance liquid chromatography, J Med Sci, 17(1), 16-23.

Cirri M., Muraa P., Mora P. C., (2007), Liquid spray formulations of xibornol by using self-microemulsifying drug delivery systems, International Journal of Pharmaceutics, 340, 84-91.

Deshmukh A., Nakhat P., Yeole P., (2010), Formulation and in-vitro evaluation of self microemulsifying drug delivery system (SMEDDS) of Furosemide, Der Pharmacia Lettre, 2(2), 94-106.

Fatouros D. G., Nielsen F. S., Douroumis D., Hadjileontiadis L. J., Mullertz A., (2008), In vitro–in vivo correlations of self-emulsifying drug delivery systems combining the dynamic lipolysis model and neuro-fuzzy networks, European Journal of Pharmaceutics and Biopharmaceutics, 69, 887-898.

Gupta R. N., Gupta R., Rathore G. S., (2009), Enhancement of Oral Bioavailability of Lipophillic Drugs From self-Microemulsifying Drug Delivery System (SMEDDS), Int J.Drug Dev.& Res., 1(1), 10-18.

Itoh K., Tozuka Y., Oguchi T., Yamamoto K., (2002), Improvement of physicochemical properties of N-4472 part I formulation design by using self-microemulsifying system, International Journal of Pharmaceutics, 238, 153-160.

Kanga B. K., Lee J. S., Chon S. K., Jeong S. Y., Yuk S. H., Khang G., Lee H. B., Cho S. H., (2004), Development of self-microemulsifying drug delivery systems (SMEDDS) for oral bioavailability enhancement of simvastatin in beagle dogs, International Journal of Pharmaceutics, 274, 65-73.

Katteboina S., Chandrasekhar V. S. R., Balaji S., (2009), Approaches for the development of solid self-emulsifying drug delivery systems and dosage forms, Asian Journal of Pharmaceutical Sciences, 4 (4), 240-253.

Khoo S. M., Humberstone A. J., Porter C. J.H., Edwards G. A., Charman W. N., (1998), Formulation design and bioavailability assessment of lipidic self-emulsifying formulations of halofantrine, International Journal of Pharmaceutics, 167, 155-164.

Kim H. J., Yoon K. A., Hahn M., Park E. S., Chi S. C., (2000), Preparation and in vitro evaluation of self-microemulsifying drug delivery systems containing idebenone, Drug Dev Ind Pharm., 26(5), 523-529.

Lawrence M. J., Rees G. D., (2000), Microemulsion-based media as novel drug delivery systems, Advanced Drug Delivery Reviews, 45, 89–121.

Liu Y., Zhang P., Feng N., Zhang X., Wu S., Zhao J., (2009), Optimization and in situ intestinal absorption of self-microemulsifying drug delivery system of oridonin, International Journal of Pharmaceutics, 365, 136-142.

Lu J. L., Wang J. C., Zhao S. X., Liu X. Y., Zhao H., Zhang X., Zhou S. F., Zhang Q., (2008), Self-microemulsifying drug delivery system (SMEDDS) improves anticancer effect of oral 9-nitrocamptothecin on human cancer xenografts in nude mice, European Journal of Pharmaceutics and Biopharmaceutics, 69, 899-907.

Mandawgade S. D., Sharma S., Pathak S., Patravale V. B., (2008), Development of SMEDDS using natural lipophile: Application to β-Artemether delivery, International Journal of Pharmaceutics, 362, 179-183.

Nazzal S., Khan M. A., (2006), Controlled release of a self-emulsifying formulation from a tablet dosage form: Stability assessment and optimization of some processing parameters, International Journal of Pharmaceutics, 315, 110-121.

Nekkanti V., Karatgi P., Prabhu R., Pillai R., (2010), Solid Self-Microemulsifying Formulation for Candesartan Cilexetil, AAPS PharmSciTech, 11(1), 9-17.

Patel A. R., Vavia P. R., (2007), Preparation and In Vivo Evaluation of SMEDDS (Self-Microemulsifying Drug Delivery System) Containing Fenofibrate, The AAPS Journal, 9(3), Article 41, E344-E352.

Patel D., Sawant K. K., (2007), Oral bioavailability enhancement of acyclovir by self-microemulsifying drug delivery systems (SMEDDS), Drug Dev Ind Pharm., 33(12), 1318-1326.

Patil P., Joshi P., Paradkar A., (2004), Effect of Formulation Variables on Preparation and Evaluation of Gelled Self-emulsifying Drug Delivery System (SEDDS) of Ketoprofen, AAPS PharmSciTech, 5 (3) Article 42, 1-8.

Patil P., Patil V., Paradkar A., (2007), Formulation of a self-emulsifying system for oral delivery of simvastatin: In vitro and in vivo evaluation, Acta Pharm., 57, 111-122.

Patro M. N., Yadav A. V., (2010), Formulation Design and Evaluation of Self Micro Emulsifying Drug Delivery System (SMEDDS) of Valproic acid, Jordan Journal of Pharmaceutical Sciences, 3(2), 117-125.

Porter C. J. H. , Pouton C. W., Cuine J. F., Charman W. N., (2008), Enhancing intestinal drug solubilisation using lipid-based delivery systems, Advanced Drug Delivery Reviews, 60, 673-691.

Rene H., Christopher J. H. P., Glenn A. E., Anette M., Henning G. K. , Charman W. N., (2003), Examination of oral absorption and lymphatic transport of halofantrine in a triple-cannulated canine model after administration in self-microemulsifying drug delivery systems (SMEDDS) containing structured triglycerides, European Journal of Pharmaceutical Sciences, 20, 91-97.

Setthacheewakul S., Mahattanadul S., Padoongsombat N., Pichayakorn W., Wiwattanapatapee R., (2010), Development and evaluation of self-microemulsifying liquid and pellet formulations of curcumin, and absorption studies in rats, European Journal of Pharmaceutics and Biopharmaceutics, 1-11.

Sha X., Yan G., Wu Y., Li J., Fang X., (2005), Effect of self-microemulsifying drug delivery systems containing Labrasol on tight junctions in Caco-2 cells, European Journal of Pharmaceutical Sciences, 24, 477-486.

Shaji J., Lodha S., (2008), Response surface methodology for the optimization of celecoxib self-emulsifying drug delivery system, Indian Journal of Pharmaceutical Sciences, 70(5), 585-590.

Sharma S., Suresh P. K., (2010), Formulation, In Vitro Characterization and Stability Studies of Self Microemulsifying Drug Delivery Systems of Domperidone, International Journal of Innovative Pharmaceutical Research, 1(4), 66-73.

Shen H., Zhong M., (2006), Preparation and evaluation of self-microemulsifying drug delivery systems (SMEDDS) containing atorvastatin, J Pharm Pharmacol., 58(9), 1183-1191.

Shikov A., Pozharitskaya O., Karlina M., Makarov V., (2008), Self-microemulsifying drug delivery system as nanosystems for bioavailability enhancement of flavonoids in vitro, European Journal of Pharmaceutical Sciences, 34 S, S25–S29.

Shukla J. B., Koli A. R., Ranch K. M., Parikh R. K., (2010), Self Micro Emulsifying Drug Delivery System, Pharma Science Monitor An International Journal of Pharmaceutical Sciences, 1(2), 13-33.

Shukla J. B., Patel S. J., (2010), Formulation and Evaluation of Self Micro Emulsifying System of Candesartan Cilexetil, Int J Pharm Pharm Sci, 2(4), 143-146.

Singh A. K., Chaurasiya A., Awasthi A., Mishra G., Asati D., Khar R. K., Mukherjee R., (2009), Oral Bioavailability Enhancement of Exemestane from Self-Microemulsifying Drug Delivery System (SMEDDS), AAPS PharmSciTech, 10(3), 906-916.

Subramanian N., Ray S., Ghosal S. K., Bhadra R., Moulik S. P., (2004), Formulation Design of Self-Microemulsifying Drug Delivery Systems for Improved Oral Bioavailability of Celecoxib, Biol. Pharm. Bull., 27(12), 1993-1999.

Tang J., Sun J., He Z., (2007), Self-Emulsifying Drug Delivery Systems: Strategy for Improving Oral Delivery of Poorly Soluble Drugs, Current Drug Therapy, 2(1), 85-93.

Woo J. S., Songb Y. K., Hong J. Y., Lim S. J., Kim C. K., (2008), Reduced food-effect and enhanced bioavailability of a self-microemulsifying formulation of itraconazole in healthy volunteers, European Journal of Pharmaceutical Sciences, 33, 159-165.

Wu W., Wang Y., Que L., (2006), Enhanced bioavailability of silymarin by self-microemulsifying drug delivery system, European Journal of Pharmaceutics and Biopharmaceutics, 63, 288-294.

Yi T., Wan J., Xu H., Yang X., (2008), A new solid self-microemulsifying formulation prepared by spray-drying to improve the oral bioavailability of poorly water soluble drugs, European Journal of Pharmaceutics and Biopharmaceutics, 70, 439-444.

Yi T., Wan J., Xu H., Yang X., (2008), Controlled poorly soluble drug release from solid self-microemulsifying formulations with high viscosity hydroxypropylmethylcellulose, European Journal of Pharmaceutical Sciences, 34, 274-280.

Zadeh B. S. M., Dahanzadeh S., Rahim F., (2010), Preparation and evaluation of the self emulsifying drug delivery system containing loratadine, International Journal of Advances in Pharmaceutical Sciences, 1, 239-248.

Zvonar A., Berginc K., Kristl A., Gaˇsperlin M., (2010), Microencapsulation of self-microemulsifying system: Improving solubility and permeability of furosemide, International Journal of Pharmaceutics, 388, 151-158.

Submitted by:

Durgacharan Arun Bhagwat

Research Scholar, JJT University, Rajasthan

Registration No.: 18710607

Guided by:

Dr. John I. Disouza

Principal & Professor,

Tatyasaheb Kore College of Pharmacy,

Warananagar, Tal: Panhala, Dist: Kolhapur,

MS. India